



		<b>TRANSMITTAL LETTER</b> <b>(General - Patent Pending)</b>		Docket No. <b>121046-0001</b>									
In Re: Application Of: <b>Michael LAMBRIGHT</b>													
Application No.	Filing Date	Examiner	Customer No.	Group Art Unit	Confirmation No.								
10/612,254	July 2, 2003	Gregory Adams	35684	3652	3335								
Title: <b>SPARE TIRE STORAGE APPARATUS</b>													
<u>COMMISSIONER FOR PATENTS:</u>													
Transmitted herewith is:  <b>Third Corrected Brief on Appeal (one original and two copies)</b> <b>Return Receipt Postcard</b>													
in the above identified application.													
<input checked="" type="checkbox"/> No additional fee is required.													
<input type="checkbox"/> A check in the amount of _____ is attached.													
<input checked="" type="checkbox"/> The Director is hereby authorized to charge and credit Deposit Account No. <b>12-2136</b> as described below.													
<input type="checkbox"/> Charge the amount of _____													
<input checked="" type="checkbox"/> Credit any overpayment.													
<input checked="" type="checkbox"/> Charge any additional fee required.													
<input type="checkbox"/> Payment by credit card. Form PTO-2038 is attached.													
<b>WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.</b>													
 Signature Michael S. Gzybowski			Dated: April 10, 2008										
CC:			<table border="1"><tr><td colspan="2">I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to the "Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450" [37 CFR 1.8(a)] on April 10, 2008 (Date)</td></tr><tr><td colspan="2"> Signature of Person Mailing Correspondence</td></tr><tr><td colspan="2">Michael S. Gzybowski</td></tr><tr><td colspan="2">Typed or Printed Name of Person Mailing Correspondence</td></tr></table>			I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to the "Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450" [37 CFR 1.8(a)] on April 10, 2008 (Date)		 Signature of Person Mailing Correspondence		Michael S. Gzybowski		Typed or Printed Name of Person Mailing Correspondence	
I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to the "Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450" [37 CFR 1.8(a)] on April 10, 2008 (Date)													
 Signature of Person Mailing Correspondence													
Michael S. Gzybowski													
Typed or Printed Name of Person Mailing Correspondence													

**CERTIFICATE OF MAILING BY FIRST CLASS MAIL (37 CFR 1.8)**Applicant(s): **Michael LAMBRIGHT**

Docket No.

**121046-0001**

Application No.

**10/612,254**

Filing Date

**July 2, 2003**

Examiner

**Gregory Adams**


Customer No.

**35684**

Group Art Unit

**3652**

Invention:

**SPARE TIRE STORAGE APPARATUS**I hereby certify that this **Certificate, Transmittal Letter, Third Corrected Brief on Appeal***(Identify type of correspondence)*

is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to "Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450" [37 CFR 1.8(a)] on

**April 10, 2008***(Date)***Debra L. Burns***(Typed or Printed Name of Person Mailing Correspondence)**(Signature of Person Mailing Correspondence)***Note: Each paper must have its own certificate of mailing.**

10/612,254



**PATENT APPLICATION**

***IN THE UNITED STATES PATENT AND TRADEMARK OFFICE***

Group }  
Art Unit: 3652 }  
  
Attorney }  
Docket No.: 121046-001 }  
  
Applicant: Michael LAMBRIGHT }  
  
Invention: SPARE TIRE STORAGE APPARATUS }  
  
Serial No: 10/612,254 }  
  
Filed: July 2, 2003 }  
  
Examiner: Gregory Adams }

**Certificate Under 37 CFR 1.8(a)**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

on April 10, 2008

  
Michael S. Gzybowski

**THIRD CORRECTED BRIEF ON APPEAL**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Further to Appellant's Notice of Appeal filed May 14, 2007 in connection with the above-identified application, appellant submits the present Brief on Appeal.

**I. REAL PARTY IN INTEREST**

Appellant has not assigned this application to any entity and is therefore the real party in interest. Accordingly, the real party in interest is appellant whose name as listed above is Michael LAMBRIGHT.

## II. RELATED APPEALS AND INTERFERENCES

There are no related cases involved in any appeal procedures or Interferences.

## III. STATUS OF CLAIMS

Claims 1, 3, 5-9, 11, and 13-22 are pending in this application. Claims 1, 3, 5-9, 11, and 13-22 stand under Final Rejection, from which rejection of claims 1, 3, 5-9, 11, and 13-22 this appeal is taken. Claims 2, 4, 10 and 12 have been canceled during the prosecution of the application. No other claims are pending.

## IV. STATUS OF AMENDMENTS

An Amendment After Final Rejection was filed on April 16, 2007 in which proposed amendments to the claims were submitted. In an Advisory Action mailed May 2, 2007, the Examiner indicated that the amendments to the claims would be entered for purposes of appeal. The Amendment After Final Rejection canceled claims 4 and 12 and amended independent claims 1 and 9 to include language that was suggested by the Examiner.

## V. SUMMARY OF CLAIMED SUBJECT MATTER

The present invention as set forth in independent claim 1 is directed to a spare tire carrier for vehicles which comprises:

a support arm (reference no. 2. page 6, line 3 and Figs. 1 and 2) for mounting a spare tire thereon, said support arm having a fixed end (pivotally attached to a portion of the frame by a

cooperating tubular assembly 5,"page 6, lines 3-4), a free end (page 8, lines 11-12) and a central axis; and

a cooperating tubular assembly (reference no. 5, page 6, line 4 and Figs. 1, 2 and 5) coupled to the fixed end of the support arm for mounting the support arm on a vehicle,

said cooperating tubular assembly including upper and lower tubular members (reference nos. 7 and 6, page 7, lines 13-14 and Figs. 2 and 5) and upper and lower opposed planar guide plates (reference nos. 10 and 9, page 8, lines 6-10 and Figs. 2 and 5) wherein the upper guide plate is attached to the upper tubular member and the lower guide plate is attached to the lower tubular member and the upper and lower opposed planar guide plates are coupled together so as to allow for relative rotational movement of said upper and lower opposed planar guide plates about a common axis which extends through the upper and lower guide plates (page 8, lines 6-10), whereby relative rotational movement of the upper and lower guide plates about said common axis simultaneously causes the support arm to rotate about its central axis while pivoting the central axis of the support arm with respect to the cooperative tubular assembly (page 11, lines 9-13) , said upper and lower tubular members having a common central axis of pivot (that necessarily coincides with threaded element 22 discussed on page 10, lines 4-12 and shown in Fig. 5) .

The present invention as set forth in independent claim 9 is directed a vehicle including a spare tire carrier mounted to an under side of the vehicle, which spare tire carrier comprises:

a support arm (reference no. 2. page 6, line 3 and Figs. 1 and 2) for mounting a spare tire thereon, said support arm having a fixed end (pivotally attached to a portion of the frame by a

cooperating tubular assembly 5,”page 6, lines 3-4), a free end (page 8, lines 11-12) and a central axis; and

a cooperating tubular assembly (reference no. 5, page 6, line 4 and Figs. 1, 2 and 5) coupled to the fixed end of the support to the under side of the vehicle,

said cooperating tubular assembly including upper and lower tubular members (reference nos. 7 and 6, page 7, lines 13-14 and Figs. 2 and 5) and upper and lower opposed planar guide plates (reference nos. 10 and 9, page 8, lines 6-10 and Figs. 2 and 5) wherein the upper guide plate is attached to the upper tubular member and the lower guide plate is attached to the lower tubular member and the upper and lower opposed planar guide plates are coupled together so as to allow for relative rotational movement of said upper and lower opposed planar guide plates about a common axis which extends through the upper and lower guide plates (page 8, lines 6-10), whereby relative rotational movement of the upper and lower guide plates about said common axis simultaneously causes the support arm to rotate about its central axis while pivoting the central axis of the support arm with respect to the cooperative tubular assembly (page 11, lines 9-13) , said upper and lower tubular members having a common central axis of pivot (that necessarily coincides with threaded element 22 discussed on page 10, lines 4-12 and shown in Fig. 5) .

#### VI. GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

Whether claims 1, 3, 5-9, 11, 13-22 are anticipated under 35 U.S.C. §102(b) by Chandler.

## VII. ARGUMENT

With respect to claims 1, 9, 18-20 and 22, the Examiner has relied upon Chandler as disclosing:

...a support are 23 having an axis and capable of supporting a spare tire, and further discloses an upper planar guide plate 53 attached to an upper tubular member 27F, lower planar guide plate 59 attached to a lower tubular assembly (61 in FIG. 7) wherein an upper plate is coupled to a lower plate for relative rotational movement for rotating an arm 23 about a common axis and a support arm central axis (see FIGS 16-17).

With respect to claims 3-5 and 11-13 the Examiner has relied upon Chandler as disclosing:

...upper and lower tubular members each having a central axis and are attached at an angle that is non-perpendicular (FIG. 7, angle  $\alpha$ ) and are collinear and hollow.

With respect to claims 6, 7, 14 and 15 the Examiner has relied upon Chandler as disclosing “an axially central element 65 having threads.”

With respect to claims 8 and 16 the Examiner has relied upon Chandler as disclosing “a latch mechanism 41.”

With respect to claim 17 the Examiner has relied upon Chandler as disclosing “an arm 23 that includes structure that engages a latch mechanism 41.”

With respect to claim 21 the Examiner has relied upon Chandler as disclosing “a tire mounting bracket 79.”

The Examiner has taken the position that:

With respect to tubular members, we need only a structure that defines a tube. Chandler's tubes 27, 61, 63 are clearly tubes as they define walls with a hollow middle. Applicant argues that Chandler's plates 61 & 63 are not tubes but plates, but

Chandler's plates 61, 63 along with the underside of arm 23 define a body having walls and a hollow middle.


As defined in Webster's Dictionary. (See [www.webster.com](http://www.webster.com)), "tubular" means:

*having the form of or consisting of a tube.*

As further defined in Webster's Dictionary. (See [www.webster.com](http://www.webster.com)), "tube" means:

1 : any of various usually cylindrical structures or devices: as a : a hollow elongated cylinder; especially : one to convey fluids b : a soft tubular container whose contents (as toothpaste) can be removed by squeezing c (1) : TUNNEL (2) British : SUBWAY  
b d : the basically cylindrical section between the mouthpiece and bell that is the fundamental part of a wind instrument



The Examiner has taken the position that the following structure of Chandler can be construed as a "tubular" member:




The Examiner's definition of "tubular" appears to be "a body having walls and a hollow middle" as stated by the Examiner on page 4 of the Office Action.



It the Examiner's definition were followed, it is submitted that the following would all be "tubular" members:





Note: of the above the lower “tubular” members of the ladder that are defined in part by the angled bracket are most similar to structure of Chandler which the Examiner has relied upon.


It is submitted that those skilled in the art would not consider any of the above structures as “tubular” members.

Moreover, those skilled in the art would not consider the plates 61 and 63 of Chandler as forming a “tubular” member.

On page 3 of the Office Action the Examiner states:

Chandler’s upper tubular member 27F is at least above upper guide plate 53, upper guide plate 53 is at least above lower guide plate 59 and lower tubular member (indicated generally as 61) and lower guide plate are at least below arm 23.

Fig. 7 of Chandler best shows the arrangement the Examiner is referring to:




While the Examiner has noted that:

- 1) Tubular member 27F is at least above upper guide plate 53;
- 2) Upper guide plate 53 is at least above lower guide plate 59; and
- 3) Lower tubular member (indicated generally as 61) and lower guide plate are at least below arm 23,

it is noted that the Examiner has argued that the lower “tubular” member is defined by plates 61 and 63 and “the underside of arm 23.”

Isolating the upper tubular member from the lower tubular member in Fig. 7 results in the following:



As can be seen, if anything the Examiner's "lower" tubular member extends above the Examiner's "upper" tubular member.

Certainly one skilled in the art would not conclude from Chandler's Fig. 7 (or any other figure) that the elements the Examiner has identified are readable on appellant's claimed "upper" and "lower" tubular members.



The only way to come up with such an interpretation is to rely upon appellant's own disclosure and even in such a case the interpretation is found to be completely unsupported.


In the Advisory Action of March 9, 2007 the Examiner stated that:

Whether one skilled in the art would consider a ladder, shelving or doorway as tubular is irrelevant because one skilled in the art of vehicle attached carriers would not look these [sic] arts when creating rotation about a support arm central axis while pivoting a support arm about a vertical axis. Using applicants definition (See Applicants Arguments page 9, line 13), Webster's Dictionary does not equate a tube to being tubular. Thus, the cited prior art must merely have tubular structure, i.e. tube-like, which Chandler's tubes 27, 61 & 63 clearly are. Moreover, another definition is that Applicants tubes are being used as a conduit, e.g. conveyance or conduit, but Applicant is not using said tubular structure as a conduit or conveyance, merely as supporting structure during movement. A recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If

the prior art structure is capable of performing the intended use, then it meets the claim.

Again, Chandler's "tubes 27, 61 & 63" (as construed by the Examiner) are illustrated as follows:





It is unclear how under any circumstances, anyone skilled in any relevant technology would construe the structure formed by support plates 61 and 63 and support arm 27 to be a “tubular member.”

As regards the Examiner’s position that “Webster’s Dictionary does not equate a tube to being tubular” it is noted that appellant is claiming “tubular members” and Webster’s Dictionary defines “tubular” as:

1. having the form or shape of a tube; tubiform.
2. of or pertaining to a tube or tubes.
3. characterized by or consisting of tubes.


The Examiner’s statement that “Applicant is not using said tubular structure as a conduit or conveyance” but “merely as supporting structure during movement,” does not change the definition of tubular structure to cover the support plates which form a support bracket in Chandler.

In the Advisory Action of March 9, 2007 the Examiner further stated that:

Upper and lower are relative terms. Claims 1 & 9 do not define Applicant does [sic] an upper member above a lower member or a lower member below an upper member, merely an upper member connected to a lower member. Thus, Chandler's upper tubular member 27F is at least above upper guide plate 53, upper guide plate 53 is at least above lower guide plate 59 and lower tubular member (indicated generally as 61) and lower guide plate are at least below arm 23.

The Examiner cannot ignore the orientation of “upper” and “lower” when interpreting appellant’s claimed invention or the prior art as would be understood by those skilled in the art, because of the environment and function. Certainly, the cycle carrier of Chandler could not be used in an inverted orientation.

The Examiner’s “upper tubular member 27F” and “lower tubular assembly 61” of Chandler are shown as follows:



It being noted that in the Advisory Action of March 9, 2007 that the Examiner argued that the lower tubular member comprised elements 61 and 63 - in no case can one find an orientation in which the Examiner’s tubular member that comprises elements 61 and 63 are lower in reference to the Examiner’s tubular member 27F.

In the Advisory Action of March 9, 2007 the Examiner further stated that:

Colinear is not a feature that is recited in claims 1 & 9. However, claim 4 recites colinear where colinear equates to structures which lie along the same line. Chandler's tubes lie on a line as they are at least adjacent. In addition, broadly construed tubular structure have an infinite number of lines. Applicant may wish to recite -cylindrical tubes having a common central axis of pivot—.


In response to this comment by the Examiner, claims 1 and 9 were amended to recite the upper and lower tubular members have a common central axis of pivot.

It is pointed out that the Examiner's "lower tubular member" of Chandler cannot be accurately construed as having a common central axis of pivot which is common with a central axis of pivot of the Examiner's "upper tubular member" of Chandler.

Note, if one were to properly to construe a "tubular member" as having a "central axis," that central axis would conventionally extend through the center of the tubular member as in the case of appellant's upper and lower tubular members.

In the case of the Examiner's "lower tubular member" which is comprises or defined by plates 61 and 63 and support 23, the central axis of this structure would extend out of the page as shown in Fig. 7:





and would never be common with the central axis of the Examiner's "upper tubular member."

The Examiner has made the statement:

Finally, with respect to claims 1 & 9 it is noted that the tubular structure provides no benefit beyond that of connecting guide plates to the arm. The guide plates rotate relative to each other to provide motion to arm 23. Thus, a channel or solid rod could connect said plates to arm as effectively.

This statement is not fully understood. Is the Examiner suggesting that it would be obvious to modify Chandler so that instead of using "tubular" structures, use "a channel or solid rod" to connect the guide plates to the arm? If however, the lower tubular member is defined by the lower surface of the arm, how can it be replaced with another structure and connected to itself?

In the Advisory Action of May 2, 2007 the Examiner has stated that:

With respect to claims 1, 9 & 18-20 & 22, referring to FIGS. 16-17 Chandler discloses a support arm 23 having an axis and capable of supporting a spare tire, and further discloses an upper planar guide plate 53 attached to an upper tubular member 27F, lower planar guide plate 59 attached to a lower tubular assembly (61 in FIG. 7) wherein an upper plate is coupled to a lower plate for relative rotational movement for rotating an arm 23 about a common axis 55 and a support arm central axis of pivot 65, e.g. a central axis about which arm 23 rotates. It is noted that "common" and "central" are relative terms such that without a frame of reference any pivot axis

can be a central axis and as long as the axis runs through the apparatus it is common to the tubes which comprise the apparatus.

It is noted that the Examiner himself suggest that the language “cylindrical tubes having a common central axis of pivot” differentiated or distinguished over “colinear where colinear equates to structures which lie along the same line” as set forth in the Advisory Action of March 9, 2007.

The Examiner’s statement that:

It is noted that "common" and "central" are relative terms such that without a frame of reference any pivot axis can be a central axis and as long as the axis runs through the apparatus it is common to the tubes which comprise the apparatus


fails to consider that the “reference frame” is to “tubular members” in which case the by convention, the central axes of tubular members extends through the centers of such structures.

In general the Examiner has ignored common definitions of structural element (e.g. “tubular members”) and reference frames (i.e., “upper,” “lower” and “central axis”) in an attempt to construe Chandler so as to read on the limitations of appellant’s claimed invention.

It is extremely doubtful that one skilled in the art would interpret Chandler in the manner of the Examiner. It seems that in such a case, one skilled in the art would give Chandler a fair reading and consideration, whereas the Examiner has abandoned conventional definitions and reference frames in an attempt to conform and limit the teachings of Chandler to read on appellant’s claimed invention.

It is noted that movement of appellant’s carrier as effected by rotation of the upper and lower guide plates 9, 10 was explained to the Examiner in an Amendment filed June 20, 2005 using a

modification of Fig. 5 showing different positions produced by rotating the upper and lower guide plates about threaded element 22 as follows:



From this drawing the orientation of the upper and lower tubular members can be seen together with the manner in which the assembly functions as claimed whereby relative rotational movement of the upper and lower guide plates about said common axis simultaneously causes the support arm to rotate about its central axis while pivoting the central axis of the support arm with respect to the cooperative tubular assembly, said upper and lower tubular members having a common central axis of pivot.

### CONCLUSION


For the reasons advanced above, appellant respectfully contends that the rejection of claims 1, 3, 5-9, 11, and 13-22 under 35 U.S.C. §102(b) as being anticipated by Chandler is improper because Chandler does not anticipate the limitations of appellant's claimed invention.

Reversal of the rejection on appeal is respectfully requested.

10/612,254

To the extent necessary, a petition for an extension of time under 37 CFR §1.136 is hereby made. Please charge the fees due in connection with the filing of this paper, including extension of time fees, to Deposit Account No. 12-2136 and please credit any excess fees to such deposit account.

Respectfully submitted,

  
Michael S. Gzybowski  
Reg. No. 32,816

BUTZEL LONG  
350 South Main Street  
Suite 300  
Ann Arbor, Michigan 48104  
(734) 995-3110

200140.1

VIII. CLAIMS APPENDIX

Claim 1 (Previously presented): A spare tire carrier for vehicles which comprises:

a support arm for mounting a spare tire thereon, said support arm having a fixed end, a free end and a central axis; and

a cooperating tubular assembly coupled to the fixed end of the support arm for mounting the support arm on a vehicle,

said cooperating tubular assembly including upper and lower tubular members and upper and lower opposed planar guide plates wherein the upper guide plate is attached to the upper tubular member and the lower guide plate is attached to the lower tubular member and the upper and lower opposed planar guide plates are coupled together so as to allow for relative rotational movement of said upper and lower opposed planar guide plates about a common axis which extends through the upper and lower guide plates, whereby relative rotational movement of the upper and lower guide plates about said common axis simultaneously causes the support arm to rotate about its central axis while pivoting the central axis of the support arm with respect to the cooperative tubular assembly, said upper and lower tubular members having a common central axis of pivot.

Claim 2 (Canceled):

Claim 3 (Previously presented): A spare tire carrier for vehicles according to claim 1, wherein the upper and lower tubular members each have a central axis and the upper and lower guide plates are respectively attached to the upper and lower tubular members at an angle that is non-perpendicular to the central axes of the upper and lower tubular members.

Claim 4 (Canceled):

Claim 5 (Previously presented): A spare tire carrier for vehicles according to claim 1, wherein at least one of the upper and lower tubular members is hollow.

Claim 6 (Previously presented): A spare tire carrier for vehicles according to claim 1, wherein the upper and lower guide plates are coupled together about an axially central element that extends through at least one of the upper and lower guide plate.

Claim 7 (Original): A spare tire carrier for vehicles according to claim 6, wherein the axially central member comprises a threaded member.

Claim 8 (Original): A spare tire carrier for vehicles according to claim 1, further including a latch mechanism for engaging the free end of the support arm.

Claim 9 (Previously presented): A vehicle including a spare tire carrier mounted to an under side

of the vehicle, which spare tire carrier comprises:

a support arm for mounting a spare tire thereon, said support arm having a fixed end and a free end and a central axis; and

a cooperating tubular assembly coupling the fixed end of the support arm to the under side of the vehicle,

said cooperating tubular assembly including upper and lower tubular members and upper and lower opposed planar guide plates wherein the upper guide plate is attached to the upper tubular member and the lower guide plate is attached to the lower tubular member and the upper and lower opposed planar guide plates are coupled together so as to allow for relative rotational movement of said upper and lower opposed planar guide plates about a common axis which extends through the upper and lower guide plates, whereby relative rotational movement of the upper and lower guide plates about said common axis simultaneously causes the support arm to rotate about its central axis while pivoting the central axis of the support arm with respect to the cooperative tubular assembly, said upper and lower tubular members having a common central axis of pivot.

Claim 10 (Canceled):

Claim 11 (Previously presented): A vehicle including a spare tire carrier mounted to an under side of the vehicle according to claim 9, wherein the upper and lower tubular members each have a central axis and the upper and lower guide plates are respectively attached to the upper and lower

tubular members at an angle that is non-perpendicular to the central axes of the upper and lower tubular members.

Claim 12 (Canceled):

Claim 13 (Previously presented): A vehicle including a spare tire carrier mounted to an under side of the vehicle according to claim 9, wherein at least one of the upper and lower tubular members is hollow.

Claim 14 (Previously presented): A vehicle including a spare tire carrier mounted to an under side of the vehicle according to claim 9, wherein the upper and lower guide plates are coupled together about an axially central element that extends through at least one of the upper and lower guide plate.

Claim 15 (Original): A vehicle including a spare tire carrier mounted to an under side of the vehicle according to claim 14, wherein the axially central member comprises a threaded member.

Claim 16 (Original): A vehicle including a spare tire carrier mounted to an under side of the vehicle according to claim 9, further including a latch mechanism for engaging the free end of the support arm.



Claim 17 (Original): A vehicle including a spare tire carrier mounted to an under side of the vehicle according to claim 16, wherein the free end of the support arm includes structure for the latch mechanism to engage.

Claim 18 (Original): A vehicle including a spare tire carrier mounted to an under side of the vehicle according to claim 9, wherein the vehicle comprises one of a motor vehicle and a non-motor vehicle.

Claim 19 (Original): A vehicle including a spare tire carrier mounted to an under side of the vehicle according to claim 18, wherein the vehicle comprises a towed vehicle.

Claim 20 (Original): A vehicle including a spare tire carrier mounted to an under side of the vehicle according to claim 19, wherein the vehicle comprises one of a camper and a trailer.

Claim 21 (Previously presented): A spare tire carrier for vehicles according to claim 1, further including a tire mounting bracket on a central portion of the support arm.

Claim 22 (Previously presented): A vehicle including a spare tire carrier mounted to an under side of the vehicle according to claim 9, further including a tire mounting bracket on a central portion of the support arm.

IX. EVIDENCE APPENDIX

- 1 Dictionary Definition of “tube” ([www.webster.com](http://www.webster.com)), cited on page 6 of appellant’s Brief on Appeal.
- 2 Dictionary Definition of “tubular” ([www.webster.com](http://www.webster.com)), cited on page 12 of appellant’s Brief on Appeal.
- 3 Dictionary Definition of “plate” ([www.webster.com](http://www.webster.com)), cited on page 8 of appellant’s Brief on Appeal filed November 30, 2005.
- 4 Dictionary Definition of “planar” ([www.webster.com](http://www.webster.com)), cited on page 9 of appellant’s Brief on Appeal filed August 30, 2005.

(Note: [www.webster.com](http://www.webster.com) redirects to [www.merriam-webster.com](http://www.merriam-webster.com))

Merriam-Webster

Merriam-Webster  
OnLine

Home  
Visit Our Sites  
Premium Services  
Downloads  
Word of the Day  
Word Games  
Open Dictionary  
Spelling Bee Hive  
Word for the Wise  
Online Store  
Help  
About Us

RICH DAD  
EDUCATIONDETROIT AREA • MARCH  
LEARN TO BE RICH™ FREE TRAINING

Click to learn more


Also Visit: Unabridged Visual ESL: Learner's for Kids: Spell It! Word Center

Dictionary Thesaurus Spanish/English Medical

## tube

Entries 1 to 10 of 33. [Next 10](#)

auditory tube  
boob tube  
breathing tube  
bronchial tube  
cathode-ray tube  
discharge tube  
electron tube  
eustachian tube  
fallopian tube

Main Entry: **tube** 

Pronunciation: 'tüb, 'tyüb\

Function: *noun*Etymology: French, from Latin *tubus*; akin to Latin *tuba* trumpet

Date: 1651

**1** : any of various usu. cylindrical structures or devices: as **a** : a hollow elongated cylinder; *especially* : one to convey fluids **b** : a soft tubular container whose contents (as toothpaste) can be removed by squeezing **c** (1) : **TUNNEL** (2) *British* : **SUBWAY** **d** : the basically cylindrical section between the mouthpiece and bell that is the fundamental part of a wind instrument

**2 a** : a slender channel (as a fallopian tube or a pollen tube) within a plant or animal body : **DUCT** **b** : the narrow basal portion of a corolla with united petals or a calyx with united sepals

**3** : **INNER TUBE**

Search "tube"

\* [Thesaurus](#)\* [Spanish/](#)\* [Medical](#)\* [Open Dic](#)



Browse words



\* [tube](#)

Browse the Dictionary:

A B C D E F G H I J K L M N O P Q  
Z #

tube

Go to [www.qbcdiagnostics.com](http://www.qbcdiagnostics.com) Feedback

**4 a** : ELECTRON TUBE; *especially* : VACUUM TUBE **b** : CATHODE-RAY TUBE; *especially* : a television picture tube **c** : TELEVISION  
**5** : an article of clothing shaped like a tube <a tube top> <tube socks>  
— **tubed**  \ˈtūbd, ˈtyūbd\ *adjective*  
— **tube-like**  \ˈtūb-,līk, ˈtyūb-\ *adjective*  
— **down the tube** or **down the tubes** : into a state of collapse or deterioration

Learn more about "tube" and related topics at [Britannica.com](http://Britannica.com)

Sponsored Links


[Latest U Tube Videos](#)

Watch U Tube Videos Instantly From Your Desktop!

Free Toolbar

[Videos.alot.com](http://Videos.alot.com)

Pronunciation Symbols



**FORD FOCUS**  
**LEARN MORE**

Featuring SYNC<sup>®</sup>  
Voice-activate your phone and dig for music.

[Products](#)

[Premium Services](#)

[Company Info](#)

[Contact Us](#)

[Advertising Info](#)

[Privacy Policy](#)



© 2007-2008 Merriam-Webster, Incorporated

Merriam-Webster

Merriam-Webster  
OnLine

Home  
Visit Our Sites  
Premium Services  
Downloads  
Word of the Day  
Word Games  
Open Dictionary  
Spelling Bee Hive  
Word for the Wise  
Online Store  
Help  
About Us

At Nationwide\*, our \_\_\_\_\_ could save you from \_\_\_\_\_  
if your accident on 500\* and Main \_\_\_\_\_ be covered.


Also Visit: Unabridged Visual  ESL: Learner's for Kids: Spell It!  Word Gen

 Dictionary  Thesaurus  Spanish/English  Medical

## tubular

One entry found.

### tubular

Main Entry: **tu·bu·lar** 

Pronunciation: \ˈtü-byə-lər, ˈtyü-\

Function: *adjective*

Date: 1673

**1 a** : having the form of or consisting of a tube  
<a *tubular* calyx> **b** : made or provided with tubes

**2** : of, relating to, or sounding as if produced through tubes

Physician-reviewed articles on **tubular** on [Healthline](#).

1. [Acute tubular necrosis \(2 images\)](#)

Acute tubular necrosis is a kidney disorder involving dam...

Visually explore **tubular** HealthMaps on [Healthline](#):



1. [Kidney Disease](#)

2. [Acute Kidney Tubular Necrosis](#)

Learn more about "tubular" and related topics at [Britannica.com](#)

Sponsored Links

**RF & Microwave Filters**

Custom and standard designs. Fast turnaround, up to 50 GHz.

[www.reactel.com](http://www.reactel.com)

Pronunciation Symbols

Search "tubula

\* [Thesaur](#)

\* [Spanish/](#)

\* [Medical I](#)

\* [Open Dic](#)


Browse words

\* [tubular](#)

Browse the Dictionary:

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#)  
[Z](#) #

tubular





Go to [www.FatLoss4idiots.com](http://www.FatLoss4idiots.com) Feedback

Merriam-Webster

Merriam-Webster  
OnLine

Home  
Visit Our Sites  
Premium Services  
Downloads  
Word of the Day  
Word Games  
Open Dictionary  
Spelling Bee Hive  
Word for the Wise  
Online Store  
Help  
About Us

Also Visit: Unabridged Visual  ESL: Learner's for Kids: Spell It!  Word Cen

 Dictionary  Thesaurus  Spanish/English  Medical

## plate

Entries 1 to 10 of 23. [Next 10](#)

plate [1 noun]

plate [2, transitive verb]

bite plate

blue plate

cell plate


end plate

equatorial plate

fashion plate

home plate

hot plate

Main Entry: 'plate 

Pronunciation: \ˈplāt\

Function: noun

Etymology: Middle English, from Anglo-French, from *plate*, feminine of *plat* flat, from Vulgar Latin *\*plattus*, probably from Greek *platys* broad, flat — more at [PLACE](#)

Date: 14th century

1 a : a smooth flat thin piece of material b

(1) : forged, rolled, or cast metal in sheets usually thicker than  $\frac{1}{4}$  inch (6 millimeters)

(2) : a very thin layer of metal deposited on a surface of base metal by plating c : one of the broad metal pieces used in armor; also : armor of such plates d (1) : a thin relatively flat anatomical part (as a lamina of bone) of an animal body; especially : [SCUTE](#) (2) : the thin under portion of the forequarter of beef;

especially : the fatty back part — see [BEEF](#)illustration e : [HOME PLATE](#) f : any of the

large movable segments into which the earth's

Search "plate"

\* [Thesaur](#)\* [Spanish/](#)\* [Medical.I](#)\* [Open Dic](#)

Browse words

\* [plate](#)

Browse the Dictionary:

A B C D E F G H I J K L M N O P Q  
Z #

plate

Go to [BarackObama.com](http://BarackObama.com)

Feedb

lithosphere is divided according to the theory of plate tectonics

**2** [Middle English; partly from Anglo-French *plate* plate, bullion; partly from Old Spanish *plata* silver, from Vulgar Latin *\*platta* metal plate, from feminine of *plattus* flat]

**a** *obsolete* : a silver coin **b** : precious metal; *especially* : silver bullion

**3** [Middle English, from Anglo-French *plat*, *plate* dish, plate, from *plat* flat] **a** : domestic hollowware made of or plated with gold, silver, or base metals **b** : a shallow usually circular vessel from which food is eaten or served **c** (1) : a quantity to fill a

plate : PLATEFUL (2) : a main course served on a plate (3) : food and service supplied to one person <a dinner at \$10 a *plate*> **d** (1) : a prize given to the winner in a contest (2) *British* : a horse race in which the contestants compete for a prize of fixed value rather than stakes **e** : a dish or pouch passed during collections **f** : a flat glass or plastic dish used chiefly for culturing microorganisms

**4** **a** : a prepared surface from which printing is done **b** : a sheet of material (as glass or plastic) coated with a light-sensitive photographic emulsion **c** : a metallic grid with its interstices filled with active material that forms one of the structural units of a battery **d** : LICENSE


#### PLATE

**5** : a horizontal structural member that provides bearing and anchorage especially for the trusses of a roof or the rafters

**6** : the part of a denture that fits to the mouth; *broadly* : DENTURE

**7** : a full-page illustration often on different paper from the text pages

**8** : a schedule of matters to deal with <have a lot on my *plate* now>

— **plate-like**  \-,līk\ *adjective*

— **on a plate** : without having been earned : as a gift <goals were handed to them *on a plate*>



Physician-reviewed articles on **plate** on [Healthline](#).

1. **Leg lengthening/shortening** : Description

**BONE LENGTHENING** Lengthening an abnormally short leg may ...

[Learn more about "plate"](#) and related topics at [Britannica.com](#)

Sponsored Links

**A Plate**

Millions of Products from Thousands of Stores All in One Place.

[www.Shopping.com/Kitchen](#)

**sheet & plate**

R & D manufacturing plastic sheet & **plate** equipment

[zjgwanda.com](#)

**Pronunciation Symbols**

INTRODUCING



The delicious supplement drink  
with Glucosamine & Chondroitin



[Products](#)

[Premium Services](#)

[Company Info](#)

[Contact Us](#)

[Advertising Info](#)

[Privacy Policy](#)

© 2007-2008 Merriam-Webster, Incorporated



Merriam-Webster

Merriam-Webster  
OnLine

Home  
Visit Our Sites  
Premium Services  
Downloads  
Word of the Day  
Word Games  
Open Dictionary  
Spelling Bee Hive  
Word for the Wise  
Online Store  
Help  
About Us

Also Visit: Unabridged Visual ESL: Learner's for Kids: Spell It! Word Center

Dictionary Thesaurus Spanish/English Medical

**planar**

One entry found.

planar

Main Entry: **pla-nar**

Pronunciation: \plā-nər, -nār\

Function: *adjective*

Date: 1850

- 1 : of, relating to, or lying in a plane  
2 : two-dimensional in quality  
— **pla-nar-i-ty** \plā-'na-rē-tē\ *noun*

Learn more about "planar" and related topics at  
[Britannica.com](http://Britannica.com)

## Sponsored Links

**Plantar Fasciitis Relief**

Buy Now: Plantar Fasciitis Relief Products - Splints,  
Insoles & More.

[www.footsmart.com/fasciitis](http://www.footsmart.com/fasciitis)

**Double Black Imaging LCDs**

Self DICOM Calibrating LCDs, 3 year warranty & 24 hr  
hotswap included.

[www.DoubleBlackImaging.com](http://www.DoubleBlackImaging.com)

**Heal Plantar Fasciitis**

Speed Healing, Relieve Pain At Home 100%  
Guaranteed & Dr Recommended

[www.AidMyPlantar.com](http://www.AidMyPlantar.com)

**Pronunciation Symbols**

Search "planar"

\* [Thesaurus](#)\* [Spanish/](#)\* [Medical](#)\* [Open Dic](#)

Browse words

\* [planar](#)

Browse the Dictionary:

A B C D E F G H I J K L M N O P Q  
Z #

planar

Nationwide®

could save you

\$500

on auto insurance

GET A QUOTE



Nationwide

On Your Side

\$500 annual savings from policy d

**Barack Obama  
for President**

Visit The Official  
Campaign Website

JOIN US



**Obama**  
Barack Obama

Go to [BarackObama.com](http://BarackObama.com)

Feedba

10/612,254

X. RELATED PROCEEDINGS APPENDIX

None

